

GENERAL CERTIFICATION OF CONFORMITY (GCOC)

Product Item # / Description

#23015- Sands Alive! Large Set

Date Product Manufactured

May 2014

U.S. Importer

Play Visions, Inc.

19180 144th Avenue N.E.

Woodinville, WA 98072

USA

 \checkmark

 \checkmark

 \checkmark

V

 \checkmark

 \checkmark

Tel: 425-482-2836

Place of Manufacture

City Shantou Country China

(Sand made in Daejeon, Korea)

			The second second	
MA	CORTITU	thic pro	duct comp	lice with
VVE	CELLIV	แแร มเบ	uuci comb	iies willi

Total Lead in Paint and	l Surface	Coating	(16	CFR	1303)
-------------------------	-----------	---------	-----	-----	-------

Total Lead in Substrate (PL 110-314, Sec. 101)

Phthalates (PL 110-314, Sec. 108)

Small Parts (16 CFR 1501, 1500.50-53)

Sharp Points or Edges (16 CFR 1500.48-49)

Drawstrings CPSC Guidance Document (ASTM F1816)

Standard for the Flammability of Children's Sleepwear (16 CFR 1615 / 1616)

Standard for the Flammability of Textile Clothing (16 CFR 1610) Test Exempt

Standard for Extreme Flammable or Flammable Solids (16 CFR 1500.3(c)(6)(vi)

Standard Consumer Safety Specification for Toy Safety (ASTM F963-11)

USP 61 (Microbial Enumberation) & USP 62 (Specified Microorganisms and U.S. CPSIA 2008; H.R. 4040

TRA (Toxicological Risk Assessment)

LHAMA (Labeling of Hazardous Art Materials Act

Test Report Contact

Shaana Waali

Play Visions, Inc.

19180 144th Avenue N.E.

Woodinville, WA 98072

shaanaw@playvisions.com

Tel: 425-482-2836

Insert name, full mailing address, e-mail address and telephone number of the person maintaining test records in support of the certification.

Date and Location of Testing

Date 5/9/2013 Location Singapore

Provide date of test or test report(s) and location(s) of testing.

Third Party Test Laboratory

Name Insight Laboratories

Address 29 Tai Seng Ave. #06-06

NCL Hub, Singapore 534119

Telephone 65-6283-9929

If a third-party laboratory tested the product or conducted a testing program on which the certification is based, insert the name, full mailing address and telephone number of the laboratory.