



GENERAL CERTIFICATION OF CONFORMITY (GCOC)

PRODUCT DETAILS

Product Item Description: Color Change Floof Bucket
 Product Item Number: 4608
 Date Product Manufactured: December, 2016
 City / Country of Manufacture: Shantou, China (Plastic Components)
 Floof in made in Korea

U.S. Importer: Play Visions, Inc.
 19180 144th Ave. NE
 Woodinville, WA 98072 USA
 Tel: 425-482-2836

Contact Person: Shaana Waali
 Contact Email: shaanaw@playvisions.com



TESTING DETAILS

I (we) hereby certify that the component / product comply with the following applicable rules, bans, standards and regulations enforced by the CPSC based on the test report:

Test Report Number: 16H-09180 (ASTM, CPSIA, CA Prop 65), 16H-08043(A1) (Color Change Floof Bulk), 16-H-08043(A2) (Color Change Floof), 16H-07254 (TRA Color Change Floof), 16H-08043(A3) (USP 51 Color Change Floof), 16H-08043(A4) (USP 61/62 Color Change Floof)
 Test Report Date: 2-15-2017 (ASTM, CPSIA, CA Prop 65), 12-6-2016 (Color Change Floof Bulk), 12-9-2016 (Color Change Floof), 11-21-2016 (TRA Color Change Floof), 1-23-2017 (USP 51 Color Change Floof), 1-23-2017 (USP 61/62 Color Change Floof)

<i>Federal Regulation</i>	<i>Test(s) Conducted</i>	
ASTM F963-11	X	Physical & Mechanical Test
ASTM F963-11 Section 4.2	X	Flammability of Solids
ASTM F963-11	X	Soluble Heavy Metals
ASTM F963-11	X	Labeling
Tracking Label Review	X	CPSIA Section 103
ASTM F963-11 / CPSIA Section 101	X	Total Lead Content
CPSIA Section 108 - Phthalates	X	Phthalates Content (DBP, BBP, DEHP, DnOP, DINP, DIDP)
CPSIA Section 101	X	Total Lead in Substrate Materials
CPSIA Section 101 & 16 CFR 1303	X	Total Lead in Paints and Surface Coatings
CPSIA Section 106	X	Mechanical Hazards 16 CFR 1500
CPSIA Section 103	X	Tracking Labels for Children's Products
California Proposition 65	X	Phthalates Content (DnHP)
California Proposition 65	X	Total Lead in Substrate & Surface Coating Materials
USP 51	X	Antimicrobial Effectiveness - Preservatives
USP 61/62	X	Microbiological Examination of Non-Sterile Products
ASTM D4236 LHAMA	X	Labeling of Hazardous Art Materials Act
TRA	X	Toxicological Risk Assessment

Third Party / Accredited Test Laboratory	
Laboratory Name	Anseco Group (HK) Ltd.
Address	3/F Liven House, No. 61-63 King Yip Street
	Kwun Tong, Kowloon, Hong Kong
Telephone	852 3185 8000
Date of testing	2-15-2017
Location of testing	Hong Kong